


# SEARO Region

Fentanyl Consumption (mg/person), 1985 - 2020



# SEARO Fentanyl Consumption, (mg/person)

Year	Fentanyl
1985	2.54E-06
1986	4.96E-06
1987	6.48E-06
1988	9.51E-06
1989	1.71E-05
1990	9.90E-06
1991	8.14E-05
1992	1.54E-05
1993	1.73E-05
1994	2.05E-05
1995	3.62E-05
1996	5.33E-05
1997	8.47E-05
1998	0.0001
1999	0.0001
2000	0.0002
2001	0.0003
2002	0.0004
2003	0.0004
2004	0.0004
2005	0.0005
2006	0.0006
2007	0.0007
2008	0.0008
2009	0.0014
2010	0.0018
2011	0.0018
2012	0.0017
2013	0.0022
2014	0.0030
2015	0.0037
2016	0.0032
2017	0.0029
2018	0.0044
2019	0.0039
2020	0.0035

## Data sources:

Consumption Data – International Narcotics Control Board  
Population – The World Bank, United Nations Statistics Division  
ME Conversion Factors – WHOCC Centre for Drug Statistics Methodology

Walther Global Palliative Care  
& Supportive Oncology  
Indiana University  
Melvin and Bren Simon  
Comprehensive Cancer Center